

Ecoclean 201


Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
 Substance / mixture Ecoclean 201 mixture
 UFI 2WE0-P0N7-N000-NVR9
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
 Cleaning/ maintenance detergent for professional use – acidic detergent for CIP.
Main intended use
 PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)
Mixture uses advised against
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
 Name or trade name UAB "BS Chemical"
 Address Briedžio g. 13, Kretinga
 Lithuania
 Phone +37066373748
 E-mail info@bs-chemical.lt
 Web address www.bs-chemical.com
Email address for a competent person responsible for the safety data sheet
 Name Beata Tumaš
 E-mail beata@bs-chemical.lt
- 1.4. Emergency telephone number**
 European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
 The mixture is classified as dangerous.

 Skin Corr. 1B, H314
 Eye Dam. 1, H318
 Aquatic Chronic 3, H412
Most serious adverse effects on human health and the environment
 Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
- 2.2. Label elements**
Hazard pictogram

- Signal word**
 Danger
- Hazardous substances**
 phosphoric acid . %
 sulphuric acid ... %
 Alcohols, C12-15-branched and linear, ethoxylated propoxylated
- Hazard statements**
 H314 Causes severe skin burns and eye damage.
 H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements**
 P260 Do not breathe mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to in accordance with national regulations.

Supplemental information

<5 % non-ionic surfactants

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 015-011-00-6 CAS: 7664-38-2 EC: 231-633-2	phosphoric acid . %	30-45	Skin Corr. 1B, H314 Specific concentration limit: Skin Corr. 1B, H314: C ≥ 25 % Eye Irrit. 2, H319: 10 % ≤ C < 25 % Skin Irrit. 2, H315: 10 % ≤ C < 25 %	1, 2
Index: 016-020-00-8 CAS: 7664-93-9 EC: 231-639-5	sulphuric acid ... %	5-15	Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1A, H314: C ≥ 15 % Eye Irrit. 2, H319: 5 % ≤ C < 15 % Skin Irrit. 2, H315: 5 % ≤ C < 15 %	1, 2, 3, 4
CAS: 120313-48-6 EC: 639-733-1	Alcohols, C12-15-branched and linear, ethoxylated propoxylated	<5	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	

Notes

- 1 *Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.*
- 2 *A substance for which exposure limits are set.*
- 3 *Explosive precursor*
- 4 *Drug precursor*

Full text of all classifications and hazard statements is given in the section 16.

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Beware of the contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! DO NOT PROVIDE ACTIVATED CARBON! Rinse out the mouth with water and provide 2-5 dL of water. Call medical rescue service.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Causes chemical burns of the mouth and throat.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In case of fire, toxic phosphorus oxides, carbon monoxide, carbon dioxide, and other hazardous gases may be released. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is forbidden to add water to the mixture when diluting. Do not mix with other chemicals. Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature -10...+35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
phosphoric acid . % (CAS: 7664-38-2)	OEL 8 hours	1 mg/m ³
	OEL 15 minutes	2 mg/m ³

European Union

Commission Directive 2009/161/EU

Substance name (component)	Type	Value
Sulphuric acid (mist) (CAS: 7664-93-9)	OEL 8 hours	0,05 mg/m ³

DNEL

phosphoric acid . %				
Workers / consumers	Route of exposure	Value	Effect	Source
Workers	Inhalation	10.7 mg/m ³	Chronic effects systemic	ECHA
Workers	Inhalation	1 mg/m ³	Chronic effects local	ECHA
Consumers	Inhalation	4.57 mg/m ³	Chronic effects systemic	ECHA
Consumers	Inhalation	360 µg/m ³	Chronic effects local	ECHA
Consumers	Oral	100 µg/kg bw/24h	Chronic effects systemic	ECHA

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

EN166 - Personal Eye Protection Standard. Protective goggles or face shield (based on the nature of the work performed).

Skin protection

EN ISO 374-1. Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

EN 14387. In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
color intensity	transparent
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	0-0.6 (100% solution at 20-25 °C)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.25-1.28 g/cm ³ at 20-25 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. In case of fire (during thermal decomposition) – toxic phosphorus oxides POx. The reaction products depend on the substances/mixtures involved in the chemical reactions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD ₅₀	>2000 mg/kg		Mammals		SDL

phosphoric acid . %						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD ₅₀	1518 mg/kg		Rat		SDL
Dermal	LD ₅₀	>2000 mg/kg bw		Rat		SDL

sulphuric acid ... %						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Inhalation	LC ₅₀	600 mg/kg	8 hours	Mouse		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated				
Route of exposure	Result	Exposure time	Species	Source
Dermal	Irritating			SDL

phosphoric acid . %				
Route of exposure	Result	Exposure time	Species	Source
Dermal	Skin burns			ECHA

sulphuric acid ... %				
Route of exposure	Result	Exposure time	Species	Source
Dermal	Skin burns			ECHA

Serious eye damage/irritation

Causes serious eye damage.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated				
Route of exposure	Result	Exposure time	Species	Source
Eye	Irritating			SDL

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Eccoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

phosphoric acid . %				
Route of exposure	Result	Exposure time	Species	Source
Eye	Irreversible damage			ECHA

sulphuric acid ... %				
Route of exposure	Result	Exposure time	Species	Source
Eye	Irreversible damage			ECHA

Respiratory or skin sensitisation

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated					
Route of exposure	Result	Exposure time	Species	Sex	Source
Inhalation	Not sensitizing				SDL
Dermal	Not sensitizing				SDL

phosphoric acid . %					
Route of exposure	Result	Exposure time	Species	Sex	Source
Dermal	Not sensitizing				ECHA
Inhalation	Not sensitizing				ECHA

sulphuric acid ... %					
Route of exposure	Result	Exposure time	Species	Sex	Source
Dermal	Not sensitizing				ECHA
Inhalation	Not sensitizing				ECHA

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated					
Result	Exposure time	Specific target organ	Species	Sex	Source
No effect					SDL

phosphoric acid . %					
Result	Exposure time	Specific target organ	Species	Sex	Source
No effect					ECHA

sulphuric acid ... %					
Result	Exposure time	Specific target organ	Species	Sex	Source
No effect					SDL

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
			No effect			SDL

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Eccoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

phosphoric acid . %						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
			No effect			ECHA

sulphuric acid ... %						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
			No effect			SDL

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated						
Effect	Parameter	Value	Result	Species	Sex	Source
			No effect			SDL

phosphoric acid . %						
Effect	Parameter	Value	Result	Species	Sex	Source
Developmental toxicity	NOAEL	370 mg/kg bw/day		Mouse		ECHA

sulphuric acid ... %						
Effect	Parameter	Value	Result	Species	Sex	Source
			No effect			SDL

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
			No effect			SDL

phosphoric acid . %						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
Oral	NOAEL	322.88-492.77 mg/kg bw/day		Dog		ECHA
Oral	LOAEL	155 mg/kg bw/day		Rat		ECHA

sulphuric acid ... %						
Route of exposure	Parameter	Value	Result	Species	Sex	Source
Inhalation	LOAEC	0.3 mg/m ³ of air	No effect	Rat		ECHA

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

Ecclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

Alcohols, C12-15-branched and linear, ethoxylated propoxylated					
Parameter	Value	Exposure time	Species	Environment	Source
LC ₅₀	<10 mg/l	96 hours	Fish		SDL
EC ₅₀	5.36 mg/l	48 hours	Crustaceans		SDL

phosphoric acid . %					
Parameter	Value	Exposure time	Species	Environment	Source
EC ₅₀	100 mg/l	48 hours	Aquatic invertebrates		ECHA
NOEC	56 mg/l	48 hours	Aquatic invertebrates		ECHA
EC ₅₀	100 mg/l	72 hours	Algae		ECHA
NOEC	100 mg/l	72 hours	Algae (Selenastrum capricornutum)		ECHA
EC ₅₀	1 g/l	3 hours	Microorganisms		ECHA
NOEC	1 g/l	3 hours	Microorganisms		ECHA

sulphuric acid ... %					
Parameter	Value	Exposure time	Species	Environment	Source
LC ₅₀	16-28 mg/l	4 days	Fish		ECHA
EC ₅₀	100 mg/l	48 hours	Aquatic invertebrates		ECHA

Chronic toxicity

sulphuric acid ... %					
Parameter	Value	Exposure time	Species	Environment	Source
NOEC	310 µg/l	7.1 months	Fish		ECHA
NOEC	26 g/l	37 days	Microorganisms		ECHA

12.2. Persistence and degradability

The mixture is biodegradable.

Biodegradability

Alcohols, C12-15-branched and linear, ethoxylated propoxylated					
Parameter	Value	Exposure time	Environment	Result	Source
	76.9 %	28 days		Easily biodegradable	SDL

phosphoric acid . %					
Parameter	Value	Exposure time	Environment	Result	Source
				Biodegradable	SDL

Eccoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

sulphuric acid ... %					
Parameter	Value	Exposure time	Environment	Result	Source
				Persistent	SDL

12.3. Bioaccumulative potential

Insignificant.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated						
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Source
BCF	<500					SDL

phosphoric acid . %						
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Source
	0					SDL

sulphuric acid ... %						
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Source
	0					SDL

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated				
Parameter	Value	Temperature	Result	Source
			Low	ECHA

phosphoric acid . %				
Parameter	Value	Temperature	Result	Source
			Low	SDL

sulphuric acid ... %				
Parameter	Value	Temperature	Result	Source
Koc	1	20°C	High, Hydrolytically unstable	ECHA

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
 20 01 29* detergents containing hazardous substances
 20 01 30 detergents other than those mentioned in 20 01 29

Packaging waste type code

15 01 02 plastic packaging
 15 01 10* packaging containing residues of or contaminated by hazardous substances
 (*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1805

14.2. UN proper shipping name

PHOSPHORIC ACID, SOLUTION

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

III

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

80

UN number

1805

Classification code

C1

Safety signs

8



Tunnel restriction code

(E)

Air transport - ICAO/IATA

Packaging instructions passenger

852

Cargo packaging instructions

856

Marine transport - IMDG

EmS (emergency plan)

F-A, S-B

MFAG

700

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Product contains regulated explosives precursor: Making available, introduction, possession and use of those precursors by member of the general public according to Regulation (EU) 2019/1148, Article 5 to 9. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P260	Do not breathe mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to in accordance with national regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Ecoclean 201

Creation date	07th July 2010	Version	8
Revision date	30th April 2025		

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended, REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.